

PLANAL VERTICAL



PLANAL VERTICAL

RAL 9016
 10
 95°C
 C
 V
 5 YEARS
WHITE WORKING PRESSURE WORKING TEMP. CLOSED SYSTEM MOUNT POS. WARRANTY

Product Name	Height mm	Length mm	Depth mm	Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50	BTU	Watts
--------------	-----------	-----------	----------	-----------------	------------------------	-----------------	------------------	-----------------	--------------------	-------------------	-----	-------

Type VPS

12VPS200	1200	200	61	150 - 50	33-55	70-92	1.2	9.3	H	778	228
14VPS200	1400	200	61	150 - 50	33-55	70-92	1.4	10.7	H	898	263
16VPS200	1600	200	61	150 - 50	33-55	70-92	1.6	12.1	H	1020	299
18VPS200	1800	200	61	150 - 50	33-55	70-92	1.8	13.5	H	1150	337
20VPS200	2000	200	61	150 - 50	33-55	70-92	2	15.0	H	1277	374

12VPS300	1200	300	61	250 - 50	33-55	70-92	1.7	14.3	H	1359	398
14VPS300	1400	300	61	250 - 50	33-55	70-92	2	15.6	H	1567	459
16VPS300	1600	300	61	250 - 50	33-55	70-92	2.3	17.7	H	1696	497
18VPS300	1800	300	61	250 - 50	33-55	70-92	2.5	19.8	H	1822	533
20VPS300	2000	300	61	250 - 50	33-55	70-92	2.8	21.9	H	1965	575

12VPS400	1200	400	61	350 - 50	33-55	70-92	2.3	17.7	H	1662	487
14VPS400	1400	400	61	350 - 50	33-55	70-92	2.7	20.5	H	1929	565
16VPS400	1600	400	61	350 - 50	33-55	70-92	3.1	23.3	H	2103	616
18VPS400	1800	400	61	350 - 50	33-55	70-92	3.5	26.1	H	2287	670
20VPS400	2000	400	61	350 - 50	33-55	70-92	3.9	28.9	H	2455	719

12VPS500	1200	500	61	450 - 50	33-55	70-92	2.9	21.5	H	1972	578
14VPS500	1400	500	61	450 - 50	33-55	70-92	3.4	25.0	H	2288	670
16VPS500	1600	500	61	450 - 50	33-55	70-92	3.9	28.4	H	2521	738
18VPS500	1800	500	61	450 - 50	33-55	70-92	4.4	31.4	H	2754	806
20VPS500	2000	500	61	450 - 50	33-55	70-92	4.9	34.9	H	2951	864

12VPS600	1200	600	61	550 - 50	33-55	70-92	3.6	26.2	H	2284	669
14VPS600	1400	600	61	550 - 50	33-55	70-92	4.2	30.4	H	2646	775
16VPS600	1600	600	61	550 - 50	33-55	70-92	4.8	34.5	H	2937	860
18VPS600	1800	600	61	550 - 50	33-55	70-92	5.4	38.7	H	3220	943
20VPS600	2000	600	61	550 - 50	33-55	70-92	6	42.8	H	3446	1009



12VPS700	1200	700	61	650 - 50	33-55	70-92	4.2	30.5	H	2592	759
14VPS700	1400	700	61	650 - 50	33-55	70-92	4.9	35.3	H	3005	880
16VPS700	1600	700	61	650 - 50	33-55	70-92	5.6	40.2	H	3347	980
18VPS700	1800	700	61	650 - 50	33-55	70-92	6.3	45.0	H	3681	1078
20VPS700	2000	700	61	650 - 50	33-55	70-92	7	49.9	H	3941	1154

12VPS900	1200	900	61	850 - 50	33-55	70-92	5.4	39.0	H	3333	976
14VPS900	1400	900	61	850 - 50	33-55	70-92	6.3	45.2	H	3862	1131
16VPS900	1600	900	61	850 - 50	33-55	70-92	7.2	51.4	H	4303	1260
18VPS900	1800	900	61	850 - 50	33-55	70-92	8.1	57.7	H	4733	1386
20VPS900	2000	900	61	850 - 50	33-55	70-92	9	63.9	H	5068	1484

Modern and impressive

The ultimate modern statement for your room, Planal Vertical radiators provide a discrete, sophisticated new look and exciting, flexible way to make an impression while efficiently heating your room.


B MODEL SHOWN OPPOSITE: 16VPH500



VPS

PLANAL VERTICAL

PLANAL VERTICAL



WHITE WORKING PRESSURE WORKING TEMP. CLOSED SYSTEM MOUNT POS. WARRANTY

Product Name	Height mm	Length mm	Depth mm	Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50	BTU	Watts
--------------	-----------	-----------	----------	-----------------	------------------------	-----------------	------------------	-----------------	--------------------	---------------------------	-----	-------

Type VPH

12VPH200	1200	200	71	150 - 50	56-78	93-115	2.9	13.9	H	1748	512
14VPH200	1400	200	71	150 - 50	56-78	93-115	3.4	16.0	H	2022	592
16VPH200	1600	200	71	150 - 50	56-78	93-115	3.8	18.2	H	2315	678
18VPH200	1800	200	71	150 - 50	56-78	93-115	4.3	20.3	H	2599	761
20VPH200	2000	200	71	150 - 50	56-78	93-115	4.8	22.6	H	2889	846

12VPH300	1200	300	71	250 - 50	56-78	93-115	3.9	20.1	H	2250	659
14VPH300	1400	300	71	250 - 50	56-78	93-115	4.6	23.3	H	2609	764
16VPH300	1600	300	71	250 - 50	56-78	93-115	5.3	26.5	H	2889	846
18VPH300	1800	300	71	250 - 50	56-78	93-115	5.9	29.7	H	3149	922
20VPH300	2000	300	71	250 - 50	56-78	93-115	6.6	32.8	H	3401	996


12VPH400	1200	400	71	350 - 50	56-78	93-115	5	26.4	H	2899	849
14VPH400	1400	400	71	350 - 50	56-78	93-115	5.9	30.6	H	3360	984
16VPH400	1600	400	71	350 - 50	56-78	93-115	6.7	34.8	H	3716	1088
18VPH400	1800	400	71	350 - 50	56-78	93-115	7.6	39.1	H	4054	1187
20VPH400	2000	400	71	350 - 50	56-78	93-115	8.4	43.3	H	4381	1283

12VPH500	1200	500	71	450 - 50	56-78	93-115	6.1	32.2	H	3528	1033
14VPH500	1400	500	71	450 - 50	56-78	93-115	7.1	37.4	H	4091	1198
16VPH500	1600	500	71	450 - 50	56-78	93-115	8.2	42.7	H	4518	1323
18VPH500	1800	500	71	450 - 50	56-78	93-115	9.2	47.5	H	4935	1445
20VPH500	2000	500	71	450 - 50	56-78	93-115	10.2	52.8	H	5331	1561

12VPH600	1200	600	71	550 - 50	56-78	93-115	6.9	39.0	H	4142	1213
14VPH600	1400	600	71	550 - 50	56-78	93-115	8.1	45.3	H	4801	1406
16VPH600	1600	600	71	550 - 50	56-78	93-115	9.3	51.6	H	5307	1554
18VPH600	1800	600	71	550 - 50	56-78	93-115	10.4	57.9	H	5795	1697
20VPH600	2000	600	71	550 - 50	56-78	93-115	11.6	64.2	H	6261	1833

12VPH700	1200	700	71	650 - 50	56-78	93-115	8	46.5	H	4518	1323
14VPH700	1400	700	71	650 - 50	56-78	93-115	9.3	52.7	H	5498	1610
16VPH700	1600	700	71	650 - 50	56-78	93-115	10.7	60.1	H	6075	1779
18VPH700	1800	700	71	650 - 50	56-78	93-115	12	67.4	H	6632	1942
20VPH700	2000	700	71	650 - 50	56-78	93-115	13.3	74.8	H	7168	2099

12VPH900	1200	900	71	850 - 50	56-78	93-115	10.3	57.9	H	5809	1701
14VPH900	1400	900	71	850 - 50	56-78	93-115	12	67.4	H	7069	2070
16VPH900	1600	900	71	850 - 50	56-78	93-115	13.8	76.8	H	7810	2287
18VPH900	1800	900	71	850 - 50	56-78	93-115	15.4	86.2	H	8527	2497
20VPH900	2000	900	71	850 - 50	56-78	93-115	17.1	95.6	H	9217	2699



VPH

PLANAL VERTICAL



WHITE WORKING PRESSURE WORKING TEMP. CLOSED SYSTEM MOUNT POS. WARRANTY

Product Name	Height mm	Length mm	Depth mm	Pipe Centres mm	Wall to Pipe Centre mm	Wall to Face mm	Water Content lt	Gross Weight kg	Fuel Options E/H/D	Heat Output ΔT 50	BTU	Watts
--------------	-----------	-----------	----------	-----------------	------------------------	-----------------	------------------	-----------------	--------------------	-------------------	-----	-------

Type VPD

16VPD300	1600	300	104	250 - 50	72-94	126-148	5.4	29.5	H	3811	1116
18VPD300	1800	300	104	250 - 50	72-94	126-148	6	33.1	H	3985	1167
20VPD300	2000	300	104	250 - 50	72-94	126-148	6.7	36.6	H	4299	1259



14VPD400	1400	400	104	350 - 50	72-94	126-148	6	34.3	H	4552	1333
16VPD400	1600	400	104	350 - 50	72-94	126-148	6.8	39.1	H	4856	1422
18VPD400	1800	400	104	350 - 50	72-94	126-148	7.8	43.8	H	5160	1511
20VPD400	2000	400	104	350 - 50	72-94	126-148	8.6	48.5	H	5560	1628

12VPD500	1200	500	104	450 - 50	72-94	126-148	6.2	36.3	H	4713	1380
14VPD500	1400	500	104	450 - 50	72-94	126-148	7.2	42.2	H	5467	1601
16VPD500	1600	500	104	450 - 50	72-94	126-148	8.4	48.1	H	5901	1728
18VPD500	1800	500	104	450 - 50	72-94	126-148	9.4	53.5	H	6335	1855
20VPD500	2000	500	104	450 - 50	72-94	126-148	10.4	59.4	H	6827	1999


12VPD600	1200	600	104	550 - 50	72-94	126-148	7	44.0	H	5505	1612
14VPD600	1400	600	104	550 - 50	72-94	126-148	8.3	51.0	H	6383	1869
16VPD600	1600	600	104	550 - 50	72-94	126-148	9.5	58.1	H	6946	2034
18VPD600	1800	600	104	550 - 50	72-94	126-148	10.6	65.2	H	7503	2197
20VPD600	2000	600	104	550 - 50	72-94	126-148	11.8	72.3	H	8094	2370

12VPD700	1200	700	104	650 - 50	72-94	126-148	8.2	51.2	H	6424	1881
14VPD700	1400	700	104	650 - 50	72-94	126-148	9.6	59.5	H	7448	2181
16VPD700	1600	700	104	650 - 50	72-94	126-148	11.1	67.7	H	8104	2373
18VPD700	1800	700	104	650 - 50	72-94	126-148	12.4	76.0	H	8756	2564
20VPD700	2000	700	104	650 - 50	72-94	126-148	13.8	84.3	H	9442	2765

12VPD900	1200	900	104	850 - 50	72-94	126-148	10.6	65.5	H	8257	2418
14VPD900	1400	900	104	850 - 50	72-94	126-148	12.4	76.2	H	9576	2804
16VPD900	1600	900	104	850 - 50	72-94	126-148	14.2	86.8	H	10419	3051
18VPD900	1800	900	104	850 - 50	72-94	126-148	15.9	97.4	H	11256	3296
20VPD900	2000	900	104	850 - 50	72-94	126-148	17.7	108.1	H	12137	3554



VPD



WALL BRACKETS

Type	900	1200
A	755	1067
B	650	962
C	775	1087
D	650	962
E	723	1035